# <u>Claims</u>

1. Use of a compound of the Formula 1 or of a mixture of substances that contains one or more compounds of the Formula 1,

1

where:

### R1 is

- hydrogen,
- methyl,
- straight-chain or branched, saturated or unsaturated alkyl having 2-4 C
  atoms
- OH or
- halogen,

-	hydrogen,	
-	methyl or	
-	straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms,	
R3 is		
-	methyl or	
-	straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms,	
and		
R4 and R5 independently of one another are		
-	hydrogen,	
-	methyl,	
-	straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms	
-	OH or	
-	halogen.	
as tyrosinase inhibitor for skin and/or hair lightening and/or for combating age spots and/or as browning inhibitor in the food industry.		

- 2. Use of styrylresorcinol as tyrosinase inhibitor for skin and/or hair lightening and/or for combating age spots and/or as browning inhibitor in the food industry.
- 3. Fragrance composition, comprising
- (a) a fragrance in an amount that has a sensory effect,
- (b) one or more compounds of the Formula 1 in an amount that has the effect of inhibiting tyrosinase

1

where:

R1 is

- hydrogen,
- methyl,
- straight-chain or branched, saturated or unsaturated alkyl having 2-4 C
  atoms
- OH or
- halogen,

	R2 is		
	-	hydrogen,	
	-	methyl or	
	-	straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms,	
	R3 is		
	-	methyl or	
	-	straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms,	
and			
	R4 a	and R5 independently of one another are	
	-	hydrogen,	
	-	methyl,	
	-	straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms	
	-	OH or	

halogen.

- 4. Cosmetic formulation, comprising
- one or more compounds for the care and/or cleansing of (a) skin and/or (b) hair and
- one or more compounds of the Formula 1 in an amount that has the effect of inhibiting tyrosinase

1

where:

R1 is

- hydrogen,
- methyl,
- straight-chain or branched, saturated or unsaturated alkyl having 2-4 C atoms
- OH or
- halogen,

-	hydrogen,	
-	methyl or	
-	straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms,	
R3 is		
-	methyl or	
-	straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms,	
and		
R4 a	and R5 independently of one another are	
-	hydrogen,	
-	methyl,	
-	straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms	
-	OH or	
-	halogen.	
5.	Sunscreen formulation, comprising	
-	an effective amount of a UV filter, so that the protection factor of the sunscreen formulation is > 2, and	

one or more compounds of the Formula 1 in an amount that has the effect of inhibiting tyrosinase

1

where:

## R1 is

- hydrogen,
- methyl,
- straight-chain or branched, saturated or unsaturated alkyl having 2-4 C atoms
- OH or
- halogen,

- hydrogen,
- methyl or

- straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms,

#### R3 is

- methyl or
- straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms,

and

R4 and R5 independently of one another are

- hydrogen,
- methyl,
- straight-chain or branched, saturated or unsaturated alkyl having 2-5 C
  atoms
- OH or
- halogen.

6. Use of a compound of the Formula 1 or of a mixture of substances that contains one or more compounds of the Formula 1,

1

where:

## R1 is

- hydrogen,
- methyl,
- straight-chain or branched, saturated or unsaturated alkyl having 2-4 C atoms
- OH or
- halogen,

- hydrogen,
- methyl or

straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms,

#### R3 is

- methyl or
- straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms,

and

R4 and R5 independently of one another are

- hydrogen,
- methyl,
- straight-chain or branched, saturated or unsaturated alkyl having 2-5 C atoms
- OH or
- halogen,

for the preparation of an agent (a) against skin and hair browning, (b) for combating age spots and/or (c) for the inhibition of the undesired browning of foods.